

SECTION 1. IDENTIFICATION

Product Name	RUBBER DUCKY
Product Use	COSMETICS
Supplier Name	UGLY DUCKLING NAILS INC.
Manufacturer Address	115-4382 WEST SHORE PARKWAY, LANGFORD BC, CANADA V9B 5Z1
Information Contact	250-590-5977
Emergency Contact	(800)535-5053 (US, CANADA & MEXICO) - (352) 323-3500 (INTERNATIONAL)

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENTS	CAS #	EINECS#	INCI NAME	EXPOSURE OSHA TWA/STEL	LIMITS ACGIH TWA/STEL	CARCINOGEN IARC/NTP/ OSHA	CONTENT %
POLYURETHANE-80	13932-65-1	/	POLYURETHANE ACRYLATE	N/E	N/E	NOT LISTED	60-66%
POLYMETHYL ACRYLATE	9003-21-8	/	POLYMETHYL ACRYLATE	N/E	N/E	NOT LISTED	12-15%
ISOBORNYL ACRYLATE	5888-33-5	227-561-6	ISOBORNYL ACRYLATE	N/E	N/E	NOT LISTED	6-12%
TRIPROPYLENE GLYCOL DIACRYLATE	42978-66-5	256-032-2	TRIPROPYLENE GLYCOL DIACRYLATE	N/E	N/E	NOT LISTED	6-12%
HYDROXYCYCLOHEXYL PHENYL KETONE	947-19-3	213-426-9	HYDROXYCYCLOHEXYL PHENYL KETONE	N/E	N/E	NOT LISTED	1-2%
BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	162881-26-7	423-340-5	BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE	N/E	N/E	NOT LISTED	1-2%

MAY CONTAIN (+/-) 7

CARBON BLACK (CI 77266)	1333-86-4	215-609-9	CARBON BLACK (CI 77266)	N/E	N/E	NOT LISTED	
TITANIUM DIOXIDE (CI 77891)	13463-67-7	236-675-5	TITANIUM DIOXIDE (CI 77891)	15 mg/m3	10 mg/m3	NOT LISTED	
RED 30 (CI 73360)	2379-74-0	219-163-6	RED 30 (CI 73360)	N/E	N/E	NOT LISTED	
RED 34 (CI 15880)	6417-83-0	229-142-3	RED 34 (CI 15880)	N/E	N/E	NOT LISTED	

N/E - None Established

N/R - Not Reviewed

N/DA - No Data Available

N/A - Not Applicable

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS - CONTINUED

COMPONENTS	CAS #	EINECS#	INCI NAME	EXPOSURE OSHA TWA/STEL	LIMITS ACGIH TWA/STEL	CARCINOGEN IARC/NTP/ OSHA	CONTENT %
PIGMENT GREEN 17 (CI77288)	1308-38-9	215-160-9	PIGMENT GREEN 17 (CI77288)	N/E	N/E	NOT LISTED	
YELLOW 5 (CI 19140)	1934-21-0	217-699-5	YELLOW 5 (CI 19140)	N/E	N/E	NOT LISTED	
VIOLET 2 (CI 60725)	81-48-1	201-353-5	VIOLET 2 (CI 60725)	N/E	N/E	NOT LISTED	
ULTRAMARINES (CI 77007)	57455-37-5	215-111-1	ULTRAMARINES (CI 77007)	N/E	N/E	NOT LISTED	
ALUMINUM POWDER	7429-90-5	231-072-3	ALUMINUM POWDER	N/E	N/E	NOT LISTED	
MICA (CI 77019)	12001-26-2	215-479-3	MICA (CI 77019)	N/E	N/E	NOT LISTED	
N/E - None Established N/R - Not Reviewed N/DA - No Data Available N/A - Not Applicable							

SECTION 3. HAZARDS IDENTIFICATION

WARNING: HARMFUL IF SWALLOWED, ABSORBED THROUGH SKIN OR INHALED. DO NOT SPRAY. DO NOT HEAT. MAY CAUSE ALLERGIC SKIN REACTION. CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION			
PHYSICAL STATE: Viscous liquid PHYSICAL HAZARD: 1 RELEVANT ROUTES OF EXPOSURE: Skin, inhalation, eyes	HEALTH: 1* PERSONAL PROTECTION: See section 8	COLOR: Transparent	ODOR: Characteristic acrylate odor
POTENTIAL HEALTH EFFECTS SKIN CONTACT: Contact skin will cause irritation. EYE CONTACT: No known significant effects or critical hazards. INGESTION: Can cause central nervous system (CNS) depression. SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects): Category 3			

SECTION 4. FIRST AID MEASURES

INHALATION	Remove to fresh air. If symptoms develop and persist, get medical attention.
SKIN CONTACT	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical attention if symptoms occur.
EYE CONTACT	Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
INGESTION	Do not induce vomiting. Keep individual calm. Get medical attention immediately.

SECTION 5. FIRE-FIGHTING MEASURES

FLASH POINT: >87°C
AUTOIGNITION TEMPERATURE: Not available
FLAMMABLE/EXPLOSIVE LIMITS-LOWER %: Not available
FLAMMABLE/EXPLOSIVE LIMITS-UPPER %: Not available
EXTINGUISHING MEDIA: Foam, dry chemical or carbon dioxide.
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
UNUSUAL FIRE OR EXPLOSION HAZARDS: Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

CLEAN-UP METHODS: Refer to Section 8 "Exposure Controls/Personal Protection" prior to clean up. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.
ENVIRONMENTAL PROTECTION: Prevent diffusion, Prevent entry into the sewage system or open waters.

SECTION 7. HANDLING AND STORAGE

HANDLING: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.
STORAGE: For safe storage, store at or below 30°C (86°F). Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store away from incompatible materials. Keep these materials away from heat, sparks, and open flame. Keep containers tightly closed when not in use.
INCOMPATIBLE PRODUCTS: Refer to Section 10.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.
RESPIRATORY PROTECTION: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.
SKIN PROTECTION: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.
EYE/FACE PROTECTION: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	ODOR & ODOR THRESHOLD	pH	SPECIFIC GRAVITY	VISCOSITY
Viscous liquid	Characteristic acrylate odor	6.5-6.8	(H2O=1): 1.15	1400-2400 mPa·s

BOILING POINT/ FREEZING POINT	DECOMPOSITION TEMPERATURE	OCTANOL/WATER PARTITIONING COEFFICIENT LOG Po/w	EVAPORATION RATE	IGNITION	SOLUBILITY IN WATER (20°C)
N/A	N/A	N/A	No Data	No Data	Insoluble

SECTION 10. STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions of storage and use.
CONDITIONS TO AVOID: Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.
HAZARDOUS POLYMERIZATION: May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.
INCOMPATIBILITY: Peroxides, oxidizing agents.
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE ORAL TOXICITY	ACUTE DERMAL TOXICITY	ACUTE INHALATION TOXICITY	IRRITATION - SKIN	IRRITATION - EYE
No info available	No info available	No info available	No info available	No info available
Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.				
SENSITIZATION	MUTAGENICITY	SUB-CHRONIC TOXICITY		
N/DA	N/DA	N/DA		

SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION				
ACUTE TOXICITY TO FISH	ACUTE TOXICITY TO INVERTEBRATES	ACUTE TOXICITY TO ALGAE	BIOCONCENTRATION	TOXICITY TO SEWAGE BACTERIA
No Information Available	No Information Available	No Information Available	No Information Available	No Information Available
CHEMICAL FATE INFORMATION				
BIODEGRADABILITY	No Information Available			
CHEMICAL OXYGEN DEMAND	No Information Available			
To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.				

SECTION 13. DISPOSAL CONSIDERATIONS

RECOMMENDED METHOD OF DISPOSAL: Dispose of contents and container in accordance with all local, regional, national and international regulations. ECE Hazardous Waste Number: Not a RCRA hazardous waste.

SECTION 14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified).
Shipping classification may be different for bulk packaging.

P.R.C DEPARTMENT OF TRANSPORTATION GROUND:

PROPER SHIPPING NAME	HAZARD CLASS OR DIVISION	IDENTIFICATION NUMBER	PACKING GROUP
Unrestricted	None	None	None

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA):

PROPER SHIPPING NAME	HAZARD CLASS OR DIVISION	IDENTIFICATION NUMBER	PACKING GROUP
Unrestricted	None	None	None

WATER TRANSPORTATION (IMO/IMDG):

PROPER SHIPPING NAME	HAZARD CLASS OR DIVISION	IDENTIFICATION NUMBER	PACKING GROUP
Unrestricted	None	None	None

SECTION 15. REGULATORY INFORMATION

REGULATORY INFORMATION: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

SECTION 16. OTHER INFORMATION

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, UGLY DUCKLING NAILS INC. does not assume responsibility for any results obtained by persons over whose methods UGLY DUCKLING NAILS INC. has no control. It is the user's responsibility to determine the suitability of UGLY DUCKLING NAILS INC.'s products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of UGLY DUCKLING NAILS INC.'s products. In light of the foregoing, UGLY DUCKLING NAILS INC. specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of UGLY DUCKLING NAILS INC.'s products. UGLY DUCKLING NAILS INC. further disclaims any liability for consequential or incidental damages of any kind, including lost profits.